#### Page 1 of 3

# Safety Data Sheet

ENTIFICATION
PRODUCT IDENTIFIER
Trade name:
Trade code:
Product description:
Application of Substance

## ALOE OIL EXTRACT, MINERAL

04-4402 A Mineral oil extract of thelipid portions of the Aloe Vera Plant Raw Material for further processing.

#### **REACH STATUS**

EXEMPT

Details of the Supplier of the Safety Data Sheet: Manufacturer Concentrated Aloe Corporation 20 W. Tower Circle Ormond Beach, FL 32174 U.S.A. <u>www.conaloe.com</u> Telephone for Product Information: 1-386-673-7566

Emergency telephone number of the company and/or of an authorized advisory center: Concentrated Aloe Corporation phone: 386.673.7566 (DWH) / 24 Hrs. Contact: 1-682-365-1574

## 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture: Hazardous Components: NFPA RATING: HMIS HAZARD CLASSIFICATION: Non-Hazardous None Health 0 Flammability 1 Reactivity 0 Health 0 Flammability 1 Reactivity 0 Physical 1

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

	Ingredients	Composition	CAS #	EINECS #
Aloe B	arbadensis Leaf Extract	1% - 10%	85507-69-3	287-390-8
	Mineral Oil	90% - 99%	8042-47-5	232-455-8

## 4. FIRST AID MEASURES

Contact with skin:	Remove contaminated shoes and clothing. Wipe off excess material. Wash exposed skin with soap and water. Seek medical attention if tissue appears damaged or irritation persists. Thoroughly clean contaminated clothing before reuse.
Contact with eyes:	Check for and remove contact lenses. Flush eyes with cool, clean, low pressure water while occasionally lifting and lowering eyelids. Seek medical attention of excessive tearing, redness, or pain persists.
Ingestion:	Do not induce vomiting or give anything by mouth. If spontaneous vomiting is about to occur, place victim's head below knees. If victim is drowsy or unconscious, place on the left side with head down. Do not leave victim
Inhalation:	unattended. Seek medical attention immediately. Vaporizing is not expected at ambient temperatures. This material is not expected to cause inhalation related disorders under anticipated conditions of use. In case of overexposure, move the person to fresh air.

#### Version Date: 11-28-22

5. FIRE-FIGHTING MEASURES	
Slightly combustible:	This material will release vapors when heated above the flash point temperature that can ignite when exposed to a source of ignition.
Suitable extinguishing media:	Water fog, dry chemical or foam
Unsuitable extinguishing media:	None known
Hazardous Combustion products:	Carbon Dioxide, carbon monoxide, smoke, fumes, and
Special Hazards caused by the material:	unburned hydrocarbons. None known
6. ACCIDENTAL RELEASE MEASURES	
Personal precautions:	Gloves, lab coat and safety goggles should be worn when
Environmental precautions:	handling product. Avoid contact with eyes. Seek cleanup advice from specialists to minimize physical
	habitat damage. This material will float on water. Absorbent
	pads and similar materials can de used. Comply with all laws
	and regulations.
Cleaning methods:	Do not touch damaged containers or spilled material unless
	wearing appropriate protective equipment. Slipping hazard; do not walk through spilled material. Stop leak if you can do so
	without risk. For small spills, absorb or cover with dry earth,
	sand, or other inert non-combustible absorbent material and
	place into waste containers for later disposal. Contain large
	spills to maximize product recovery or disposal. Prevent entry
	into waterways or sewers. After the product has been recovered, rinse the area and
	materials involved with water.
	Refer to section 5 to 8.
7. HANDLING AND STORAGE	
Precautions for safe handling:	Avoid water contamination and extreme temperatures to
	minimize product degradation. Do not pressurize, cut, weld,
	bruze solder, drill, grind or expose containers to flames, sparks heat or other potential ignition sources.
Incompatible materials:	Strong oxidizing agents.
Safe Storage conditions:	Store in cool, dry area protected from light.
·	Keep container closed when not in use.
Instructions as regards	
Instructions as regards to storage premises:	Cool and adequately ventilated. Do not store at temperatures
to storage premises:	Cool and adequately ventilated. Do not store at temperatures above 120 °F.
to storage premises: B. EXPOSURE CONTROLS / PERSONAL PR	Cool and adequately ventilated. Do not store at temperatures above 120 °F.
to storage premises:	Cool and adequately ventilated. Do not store at temperatures above 120 °F.
to storage premises:	Cool and adequately ventilated. Do not store at temperatures above 120 °F. ROTECTION An eye wash station and safety shower should be located near the work station. HMIS Personal Protective Equipment Code C:
to storage premises: E. EXPOSURE CONTROLS / PERSONAL PR Control parameters:	Cool and adequately ventilated. Do not store at temperatures above 120 °F. ROTECTION An eye wash station and safety shower should be located near the work station. HMIS Personal Protective Equipment Code C: Safety glasses, apron or lab coat and gloves (neoprene or
to storage premises: . EXPOSURE CONTROLS / PERSONAL PF Control parameters:	Cool and adequately ventilated. Do not store at temperatures above 120 °F. ROTECTION An eye wash station and safety shower should be located near the work station. HMIS Personal Protective Equipment Code C: Safety glasses, apron or lab coat and gloves (neoprene or heavy nitrile rubber) should be worn when handling this
to storage premises: EXPOSURE CONTROLS / PERSONAL PF Control parameters: Personal Protective Equipment:	Cool and adequately ventilated. Do not store at temperatures above 120 °F. ROTECTION An eye wash station and safety shower should be located near the work station. HMIS Personal Protective Equipment Code C: Safety glasses, apron or lab coat and gloves (neoprene or heavy nitrile rubber) should be worn when handling this material.
to storage premises: EXPOSURE CONTROLS / PERSONAL PR Control parameters: Personal Protective Equipment: PHYSICAL AND CHEMICAL PROPERTIES	Cool and adequately ventilated. Do not store at temperatures above 120 °F. COTECTION An eye wash station and safety shower should be located near the work station. HMIS Personal Protective Equipment Code C: Safety glasses, apron or lab coat and gloves (neoprene or heavy nitrile rubber) should be worn when handling this material.
to storage premises: 8. EXPOSURE CONTROLS / PERSONAL PR Control parameters: Personal Protective Equipment: 9. PHYSICAL AND CHEMICAL PROPERTIES Appearance and color:	Cool and adequately ventilated. Do not store at temperatures above 120 °F. ROTECTION An eye wash station and safety shower should be located near the work station. HMIS Personal Protective Equipment Code C: Safety glasses, apron or lab coat and gloves (neoprene or heavy nitrile rubber) should be worn when handling this material. S Clear to Slightly Yellow Oil
to storage premises: 8. EXPOSURE CONTROLS / PERSONAL PR Control parameters: Personal Protective Equipment: 9. PHYSICAL AND CHEMICAL PROPERTIES Appearance and color: Odor:	Cool and adequately ventilated. Do not store at temperatures above 120 °F. ROTECTION An eye wash station and safety shower should be located near the work station. HMIS Personal Protective Equipment Code C: Safety glasses, apron or lab coat and gloves (neoprene or heavy nitrile rubber) should be worn when handling this material. S Clear to Slightly Yellow Oil Characteristic Vegetable
to storage premises: B. EXPOSURE CONTROLS / PERSONAL PR Control parameters: Personal Protective Equipment: D. PHYSICAL AND CHEMICAL PROPERTIES Appearance and color: Odor: pH:	Cool and adequately ventilated. Do not store at temperatures above 120 °F. ROTECTION An eye wash station and safety shower should be located near the work station. HMIS Personal Protective Equipment Code C: Safety glasses, apron or lab coat and gloves (neoprene or heavy nitrile rubber) should be worn when handling this material. S Clear to Slightly Yellow Oil
to storage premises: 8. EXPOSURE CONTROLS / PERSONAL PR Control parameters: Personal Protective Equipment: 9. PHYSICAL AND CHEMICAL PROPERTIES Appearance and color: Odor:	Cool and adequately ventilated. Do not store at temperatures above 120 °F. ROTECTION An eye wash station and safety shower should be located near the work station. HMIS Personal Protective Equipment Code C: Safety glasses, apron or lab coat and gloves (neoprene or heavy nitrile rubber) should be worn when handling this material. S Clear to Slightly Yellow Oil Characteristic Vegetable N/A
to storage premises: 3. EXPOSURE CONTROLS / PERSONAL PR Control parameters: Personal Protective Equipment: 9. PHYSICAL AND CHEMICAL PROPERTIES Appearance and color: Odor: pH: Flash point:	Cool and adequately ventilated. Do not store at temperatures above 120 °F. ROTECTION An eye wash station and safety shower should be located near the work station. HMIS Personal Protective Equipment Code C: Safety glasses, apron or lab coat and gloves (neoprene or heavy nitrile rubber) should be worn when handling this material. S Clear to Slightly Yellow Oil Characteristic Vegetable N/A 365 °F

10. STABILITY AND REACTIVITY		
Reactivity:	Stable under normal conditions.	
Chemical Stability:	Stable	
Conditions to avoid:	Keep away from extreme heat, sparks, open flame, and strong oxidizing conditions.	
Incompatible Materials:	Strong oxidizers	
Hazardous decomposition products:	Refer to section 5.	
11. TOXICOLOGICAL INFORMATION		
Acute Toxicity:	None	
Corrosivity:	None	
Carcinogenicity:	None	
Mutagenicity:	None	
Toxicity for reproduction:	Not available	
12. ECOLOGICAL INFORMATION		
Toxicity for certain animals:	This material is not expected to be harmful to the ecology.	
Persistence and degradability:	Not available	
Bioaccumulative potential:	Not available	
Mobility in soil:	Low	
Results of PBT and vPvB assessment:		
Other adverse effects:	None	
13. DISPOSAL CONSIDERATIONS Disposal must be in accordance with th	e local and national regulations currently in force.	
14. TRANSPORT INFORMATION	N	
UN number:	None	
Land (ADR):	Not classified hazardous	
Land (RID):	Not classified hazardous	
Air (ICAO/IATA):	Not classified hazardous	
Sea (IMDG):	Not classified hazardous	
15. REGULATORY INFORMATION		
This product is not classified as danger		
· · ·	pliance with the following directives and regulations:	
Duene vetiene elege if estimut		
Preparation classification:		
SDS complaint with re		
SDS complaint with re (EC) No 1907/2006(R	ĔACH), (EC) No 1272/2008 (CLP)	
SDS complaint with re (EC) No 1907/2006(R	ĔACH), (EC) No 1272/2008 (CLP) belling): Not Classified under 66/45/EC	
SDS complaint with re (EC) No 1907/2006(R (Classification and La R Phrases: Not Classi	ĔACH), (EC) No 1272/2008 (CLP) belling): Not Classified under 66/45/EC	
SDS complaint with re (EC) No 1907/2006(R (Classification and Lal R Phrases: Not Classi 16. OTHER INFORMATION	ĔACH), (EC) No 1272/2008 (CLP) belling): Not Classified under 66/45/EC	
SDS complaint with re (EC) No 1907/2006(R (Classification and Lal R Phrases: Not Classi 16. OTHER INFORMATION FOR INDUSTRIAL USE	ĔACH), (EC) No 1272/2008 (CLP) belling): Not Classified under 66/45/EC ified under 99/45/EC	
SDS complaint with re (EC) No 1907/2006(R (Classification and Lal R Phrases: Not Classi 16. OTHER INFORMATION FOR INDUSTRIAL USE The information contained herein	ĔACH), (EC) No 1272/2008 (CLP) belling): Not Classified under 66/45/EC ified under 99/45/EC is based on our state of knowledge at the above-specified	
SDS complaint with re (EC) No 1907/2006(R (Classification and Lal R Phrases: Not Classi 16. OTHER INFORMATION FOR INDUSTRIAL USE The information contained herein date. It refers solely to the produc	EACH), (EC) No 1272/2008 (CLP)   belling): Not Classified under 66/45/EC   ified under 99/45/EC   is based on our state of knowledge at the above-specified   t indicated and constitutes no guarantee of particular quality.	
SDS complaint with re (EC) No 1907/2006(R (Classification and Lal R Phrases: Not Classi 16. OTHER INFORMATION FOR INDUSTRIAL USE The information contained herein date. It refers solely to the produc	ĔACH), (EC) No 1272/2008 (CLP) belling): Not Classified under 66/45/EC ified under 99/45/EC is based on our state of knowledge at the above-specified	